THAT WHICH IS CLAIMED:

- 1. An isolated nucleic acid molecule selected from the group consisting of:
- a) a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of SEQ ID NO:1 and SEQ ID NO:3;
- b) a nucleic acid fragment selected from the group consisting of SEQ ID NO:21, SEQ ID NO:22, and SEQ ID NO:23;
- c) a nucleic acid molecule which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2;
- d) a nucleic acid molecule which encodes a polypeptide comprising a fragment of the amino acid sequence of SEQ ID NO:2, wherein the fragment comprises at least 300 contiguous amino acids of SEQ ID NO:2 and has kinase activity; and
 - e) a nucleic acid molecule comprising the complement of a), b), c), or d).
- 2. An expression construct comprising a recombinant nucleic acid molecule comprising the nucleic acid molecule of claim 1.
- 3. The nucleic acid molecule of claim 1 further comprising nucleic acid sequences encoding a heterologous polypeptide.
- 4. A host cell comprising a recombinant nucleic acid molecule comprising the nucleic acid molecule of claim 1.
- 5. An isolated polypeptide selected from the group consisting of:
- a) a polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of the nucleotide sequence of SEQ ID NO:1 and SEQ ID NO:3;
- b) a fragment of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, wherein the fragment comprises at least 300 contiguous amino acids of SEQ ID NO:2 and wherein said at least 300 contiguous amino acids have kinase activity;
- c) an antigenic fragment of SEQ ID NO:2 comprising at least 15 amino acid residues of SEQ ID NO:2; and
 - d) a polypeptide having the amino acid sequence of SEQ ID NO:2.

- 6. The polypeptide of claim 5 further comprising heterologous amino acid sequences.
- 7. An antibody which selectively binds to a polypeptide of claim 5.
- 8. The antibody of claim 7, wherein the antibody binds to an antigenic fragment of SEQ ID NO:2 selected from the group consisting of SEQ ID NO:17, SEQ ID NO:18, and SEQ ID NO:19.
- 9. A method for producing a polypeptide selected from the group consisting of:
- a) a polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of the nucleotide sequence of SEQ ID NO:1 and SEQ ID NO:3;
- b) a fragment of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, wherein the fragment comprises at least 300 contiguous amino acids of SEQ ID NO:2 and wherein said at least 300 contiguous amino acids have kinase activity; and
- c) a polypeptide having the amino acid sequence of SEQ ID NO:2, comprising culturing the host cell of claim 4 under conditions in which the nucleic acid molecule is expressed.
- 10. A kit comprising a compound which selectively binds to a polypeptide of claim 5 and instructions for use.
- 11. A kit comprising a compound which selectively hybridizes to a nucleic acid molecule of claim 1 and instructions for use.
- 12. A method for identifying a compound which binds to a polypeptide of claim 5 comprising the steps of:
- a) contacting a polypeptide, or a cell expressing a polypeptide of claim 5 with a test compound; and
 - b) determining whether the polypeptide binds to the test compound.

- 13. The method of claim 12, wherein the binding of the test compound to the polypeptide is detected by a method selected from the group consisting of:
 - a) detection of binding by direct detecting of test compound/polypeptide binding;
 - b) detection of binding using a competition binding assay; and
 - c) detection of binding using an assay for protein kinase-mediated phosphorylation.
- 14. A method for modulating the activity of a polypeptide of claim 5 comprising contacting a polypeptide or a cell expressing a polypeptide of claim 5 with a compound which binds to the polypeptide in a sufficient concentration to modulate the activity of the polypeptide.
- 15. A method for identifying a compound which modulates the activity of a polypeptide of claim 5, comprising:
 - a) contacting a polypeptide of claim 5 with a test compound; and
- b) determining the effect of the test compound on the activity of the polypeptide to thereby identify a compound that modulates the activity of the polypeptide.
- 16. The method of claim 15, wherein the activity of the polypeptide is determined in a kinase assay using a 14171 kinase substrate.
- 17. A method for identifying a subject having a disorder or at risk of developing a disorder selected from the group consisting of cancer, an immunological disorder, a viral disorder and an apoptotic disorder, comprising the steps of:
- a) contacting a sample obtained from said subject comprising nucleic acid molecules with a nucleic acid probe or primer which selectively hybridizes to the nucleic acid molecule of claim 1; and
- b) detecting in said sample the presence of a nucleic acid molecule which hybridizes to said probe or primer, thereby identifying a subject having the disorder, or at risk for developing the disorder.

- 18. The method of claim 17, wherein the nucleic acid probe or primer is selected from the group consisting of SEQ ID NO:9, SEQ ID NO:10 and SEQ ID NO:11.
- 19. A method for identifying a subject having a disorder or at risk of developing a disorder selected from the group consisting of cancer, an immunological disorder, a viral disorder and an apoptotic disorder, comprising the steps of:
- a) contacting a sample obtained from said subject comprising polypeptides with a compound which selectively binds to the polypeptide of claim 5; and
- b) detecting in said sample the presence of a polypeptide which binds to said compound, thereby identifying a subject having the disorder, or at risk for developing the disorder.
- 20. A method of treating a subject having a disorder selected from the group consisting of cancer, an immunological disorder, a viral disorder and an apoptotic disorder comprising administering to said subject an effective amount of an agent which targets the expression or activity of a nucleic acid molecule of claim 1.